

No. 1186017.8

(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM: At Work

Date Received:

4.7.17

At Work

PO Box 37 378

Parnel, Auckland

SAMPLE DESCRIPTION:

Woven fabric - Artisan, 100% Polyester, 348 grams

lineal metre.

End use - panel & upholstery

Client Order No.:

Client Reference:

1 of 8

AS/NZS 3837-1998 – Method of Test for Heat and Smoke Release Rates for Materials and Products using Oxygen Consumption Calorimeter

	1	Specimens 2	3	Mean
Average Heat Release:	11.6	13.2	12.4	12.4 kW/m ²
Average Specific Extinction Area: (According to Specification C1.10 of the Bu	111.1 illding Code of Aust	109.9 ralia)	127.9	116.3 m ² /kg
Group Number Classification: (In Accordance with AS 5637.1-2015)				1
Test Orientation: Horizontal				
		Specimens		
	1	2	3	Mean
Irradiance	50	50	50	50 kW/m ²

	•	_	•	Modif
Irradiance	50	50	50	50 kW/m ²
Exhaust Flow Rate	24	24	24	24 L/sec.
Time to Sustained Flaming	103	84	94	94 sec.
Test Duration	315	303	288	302 sec.
Peak Heat Release After Ignition	55.3	62.9	65.5	61.2 kW/m ²
Average Heat at 60 s	25.0	28.1	26.4	26.5 kW/m ²
Average Heat at 180 s	11.2	12.8	12.4	12.1 kW/m ²
Average Heat at 300 s	N/A	N/A	N/A	N/A
Total Heat Released	2.5	2.9	2.4	2.6 MJ/m ²
Ave. Effective Heat of Combustion	1.8	2.0	1.9	1.9 MJ/kg
Initial Thickness	7.0	7.0	7.0	7.0 mm
Initial Mass	80.2	78.7	81.5	80.1 g
Mass Remaining	65.7	64.7	67.6	66.0 g
Mass Percentage Pyrolysed	18.0	17.8	17.1	17.6%
Mass Loss	14.5	14.0	13.9	14.1 g
Average Rate of Mass Loss	6.3	6.6	6.7	6.5 g/m².s

"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"
Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.

L A Greer C Judan 31/07/2017 Signatory Signatory

New Zealand Wool Testing Authority Ltd Cnr Bridge & Lever Streets, PO Box 12065

Ahuriri, Napier 4144, New Zealand

T+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz



No. 1186017.8

(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

Date Received:

4.7.17

At Work

At Work

PO Box 37 378 Parnel, Auckland

SAMPLE DESCRIPTION:

Woven fabric - Artisan, 100% Polyester, 348 grams

lineal metre.

End use - panel & upholstery

Client Order No.:

Client Reference:

2 of 8

These test results relate only to the behaviour of the product under the conditions of the test, they are not intended to be sole criterion for assessment of performance under real fire conditions.

The results of these fire tests may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment of the fire hazard under all fire conditions.

Samples were loose laid onto a substrate of 6mm thick cement sheeting prior to testing.

Tests were conducted with a wire grid placed over the sample during testing. This was done to contain intumescing sample within the sample holder.

This test was carried out by a sub-contracted laboratory.

L A Greer Signatory

Signatory

31/07/2017

"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED" Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.



No. 1186017.8

(Please quote this number in all correspondence)

CLIENT: At Work

PO Box 37 378 Parnel, Auckland SAMPLE RECEIVED FROM:

Date Received:

4.7.17

At Work

SAMPLE DESCRIPTION:

Woven fabric - Artisan, 100% Polyester, 348 grams

lineal metre.


End use - panel & upholstery


Client Order No.:

Client Reference:


3 of 8








Effective heat of combustion (MJ/kg)



Time (s)



"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"
Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.

L A Greer Signatory C Judan Signatory

31/07/2017

New Zealand Wool Testing Authority Ltd

Cnr Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand

T +64 6 835 1086, F +64 6 835 6473 Email: testing@nzwta.co.nz



No. 1186017.8

(Please quote this number in all correspondence)

CLIENT: At Work

PO Box 37 378 Parnel, Auckland SAMPLE RECEIVED FROM:

Date Received:

4.7.17

At Work

SAMPLE DESCRIPTION:

Woven fabric - Artisan, 100% Polyester, 348 grams


lineal metre.

End use - panel & upholstery

Client Order No.:

Client Reference:

4 of 8



L A Greer Signatory C Judan Signatory

31/07/2017

ignatory



No. 1186017.8

(Please quote this number in all correspondence)

CLIENT: At Work

PO Box 37 378
Parnel, Auckland

SAMPLE RECEIVED FROM:

Date Received:

4.7.17

At Work

SAMPLE DESCRIPTION:

Woven fabric - Artisan, 100% Polyester, 348 grams

lineal metre.


End use - panel & upholstery

Client Order No.:

Client Reference:

5 of 8





"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"
Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.

Time (s)

L A Greer Signatory C Judan Signatory

Time (s)

31/07/2017

New Zealand Wool Testing Authority Ltd

Cnr Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand

T +64 6 835 1086, F +64 6 835 6473 Email: testing@nzwta.co.nz



No. 1186017.8

(Please quote this number in all correspondence)

CLIENT: At Work

PO Box 37 378 Parnel, Auckland SAMPLE RECEIVED FROM:

Date Received:

4.7.17

At Work

SAMPLE DESCRIPTION:

Woven fabric - Artisan, 100% Polyester, 348 grams


lineal metre.

End use - panel & upholstery

Client Order No.:

Client Reference:

6 of 8



C Judan Signatory

31/07/2017



No. 1186017.8

(Please quote this number in all correspondence)

CLIENT: At Work

PO Box 37 378 Parnel, Auckland SAMPLE RECEIVED FROM:

Date Received:

4.7.17

At Work

SAMPLE DESCRIPTION:

Woven fabric - Artisan, 100% Polyester, 348 grams

lineal metre.


End use - panel & upholstery


Client Order No.:


Client Reference:


7 of 8











"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED" Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.

L A Green Signatory Signatory

31/07/2017



No. 1186017.8

(Please quote this number in all correspondence)

CLIENT: At Work

PO Box 37 378 Parnel, Auckland SAMPLE RECEIVED FROM:

Date Received:

4.7.17

At Work

SAMPLE DESCRIPTION:

Woven fabric - Artisan, 100% Polyester, 348 grams


lineal metre.

End use - panel & upholstery

Client Order No.:

Client Reference:

8 of 8



"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"
Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.

L A Greer Signatory C Judan Signatory

31/07/2017

New Zealand Wool Testing Authority Ltd

Crit Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand

T+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz