

(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

Date:

At Work

At Work

PO Box 37 378

28.9.16

Parnel, Auckland

SAMPLE DESCRIPTION:

Client Order No.:

Woven fabric - Bond, 100% Polyester, 358gsm,

End use - upholstery & panel.

Attn.:

Client Reference:

1 of 8

ISO 5660.1-2015

Reaction to Fire Tests - Heat release Smoke Production and Mass Loss Rate Part 1: Heat Release Rate (Cone Calorimeter Method) and Smoke Production Rate

(Dynamic Measurement)

	1	2	3	Mean
Average Heat Release	3.5	2.3	2.7	2.8 kW/m ²
Group Number Classification* (* In Accordance with the New Zealand Bu	1S ilding Code Verificati	1S on Method C/VM2 App	1S endix A)	
Average Specific Extinction Area* (* According to ISO 5660.2-2002)	108.2	57.7	115.7	93.9 m²/kg

Test Orientation: Horizontal					
	Specimens				
	1	2	3	Mean	
Irradiance	50	50	50	50 kW/m ²	
Exhaust Flow Rate	24	24	24	24 L/sec.	
Time to Sustained Flaming	93	37	63	64 sec.	
Test Duration	1893	1837	1863	1864 sec.	

"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED" Except where the sample is drawn independently by NZWTA Ltd. NZWTA Ltd. makes no warranty, implied or otherwise as to the source of the tested sample. The above test results are not certified due to the adoption of modified and/or non-standard procedures designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. Except where precluded by law, no responsibility can be accepted by NZWTA Ltd for any claim which may arise from any person acting on information contained herein.

L A Greer Signatory

C Judan Signatory

17/10/2016



NZWTA

No. 1153632.3

(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

Date: 28.9.16

At Work

At Work

PO Box 37 378

SAMPLE DESCRIPTION:

20.9.10

Parnel, Auckland

Client Order No.:

Woven fabric - Bond, 100% Polyester, 358gsm,

End use - upholstery & panel.

Attn.:

Client Reference:

2 of 8

	1	2	3	Mean
Peak Heat Release After Ignition	52.8	83.5	72.8	69.7 kW/m ²
Average Heat at 60 s	15.4	24.8	23.4	21.2 kW/m ²
Average Heat at 180 s	8.9	8.3	9.5	8.9 kW/m ²
Average Heat at 300 s	10.7	5.9	10.5	9.0 kW/m ²
Total Heat Released	6.3	4.1	4.9	5.1 MJ/m ²
Ave. Effective Heat of Combustion	2.6	1.2	2.2	2.0 MJ/kg
Initial Thickness	6.5	6.5	6.5	6.5 mm
Initial Mass	92.7	98.1	88.3	93.0 g
Mass Remaining	70.0	68.4	69.2	69.2 g
Mass Percentage Pyrolysed	24.5	30.2	21.7	25.5%
Mass Loss	22.7	29.7	19.1	23.8 g
Average Rate of Mass Loss	1.4	1.9	1.2	1.5 g/m².s

These test results relate only to the behaviour of the product under the conditions of the test, they are not intended to be sole criterion for assessment of performance under real fire conditions.

Samples were loose laid onto a substrate of 6mm thick cement sheeting prior to testing.

Tests were conducted with a wire grid placed over the sample during testing. This was done to contain intumescing sample within the sample holder.

Note: All calculations are based on ignition + 30 minutes.

This test was carried out by a sub-contracted laboratory.

"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Except where the sample is drawn independently by NZWTA Ltd. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested sample. The above test results are not certified due to the adoption of modified and/or non-standard procedures designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. Except where precluded by law, no responsibility can be accepted by NZWTA Ltd for any claim which may arise from any person acting on information contained herein.

L A Greer Signatory C Judan Signatory

17/10/2016



(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

Date: 28.9.16

At Work

At Work

PO Box 37 378

SAMPLE DESCRIPTION:

Parnel, Auckland

Woven fabric - Bond, 100% Polyester, 358gsm,

End use - upholstery & panel.


Attn.:


Client Reference:


3 of 8


Specimen 1

Client Order No.:









"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED" Except where the sample is drawn independently by NZWTA Ltd. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested sample. The above test results are not certified due to the adoption of modified and/or non-standard procedures designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. Except where precluded by law, no responsibility can be accepted by NZWTA Ltd for any claim which may arise from any person acting on information contained herein.

L A Greer Signatory

C Judan Signatory

17/10/2016

New Zealand Wool Testing Authority Ltd

Cnr Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand

T+64 6 835 1086, F+64 6 835 6473 Emzil: testing@nzwta.co.nz



(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

28.9.16 Date:

At Work

At Work

PO Box 37 378

SAMPLE DESCRIPTION:

Parnel, Auckland

Client Order No.:


Woven fabric - Bond, 100% Polyester, 358gsm,


End use - upholstery & panel.


Attn.:


Client Reference:

4 of 8









"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Except where the sample is drawn independently by NZWTA Ltd. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested sample. The above test results are not certified due to the adoption of modified and/or non-standard procedures designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. Except where precluded by law, no responsibility can be accepted by NZWTA Ltd for any claim which may arise from any person acting on information contained herein.

L A Greer Signatory

C Judan Signatory

17/10/2016

Cnr Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand

7+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz



NZWTA

No. 1153632.3

Date:

(Please quote this number in all correspondence)

CLIENT: At Work

PO Box 37 378
Parnel, Auckland

Attn.:

SAMPLE RECEIVED FROM:

At Work

SAMPLE DESCRIPTION:

Woven fabric - Bond, 100% Polyester, 358gsm,

End use - upholstery & panel.


Client Reference:


5 of 8


28.9.16


Specimen 2

Client Order No.:









"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Except where the sample is drawn independently by NZWTA Ltd. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested sample. The above test results are not certified due to the adoption of modified and/or non-standard procedures designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. Except where precluded by law, no responsibility can be accepted by NZWTA Ltd for any claim which may arise from any person acting on information contained herein.

L A Greer Signatory C Judan Signatory

17/10/2016

New Zealand Wool Testing Authority Ltd

Cnr Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand

T +64 6 835 1086, F +64 6 835 6473 Email: testing@nzwta.co.nz



(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

Date:

At Work

At Work

PO Box 37 378

28.9.16

Parnel, Auckland

Client Order No.:

SAMPLE DESCRIPTION:


Woven fabric - Bond, 100% Polyester, 358gsm,


End use - upholstery & panel.

Attn.:


Client Reference:


6 of 8











"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Except where the sample is drawn independently by NZWTA Ltd. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested sample. The above test results are not certified due to the adoption of modified and/or non-standard procedures designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. Except where precluded by law, no responsibility can be accepted by NZWTA Ltd for any claim which may arise from any person acting on information contained herein.

L A Greer Signatory

C Judan Signatory 17/10/2016

New Zealand Wool Testing Authority Ltd

Cnr Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand T+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz



Date:

(Please quote this number in all correspondence)

CLIENT: At Work

PO Box 37 378 Parnel, Auckland

Attn.:

SAMPLE RECEIVED FROM:

At Work

SAMPLE DESCRIPTION:

Woven fabric - Bond, 100% Polyester, 358gsm,

End use - upholstery & panel.


Client Reference:


7 of 8


28.9.16


Specimen 3

Client Order No.:









"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED" Except where the sample is drawn independently by NZWTA Ltd. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested sample. The above test results are not certified due to the adoption of modified and/or non-standard procedures designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. Except where precluded by law, no responsibility can be accepted by NZWTA Ltd for any claim which may arise from any person acting on information contained herein.

L A Greer Signatory C Judan Signatory

17/10/2016

New Zealand Wool Testing Authority Ltd Cnr Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand

T+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz



(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

Date:

At Work

At Work

PO Box 37 378

28.9.16

Parnel, Auckland

Client Order No.:

SAMPLE DESCRIPTION:


Woven fabric - Bond, 100% Polyester, 358gsm,


End use - upholstery & panel.

Attn.:


Client Reference:


8 of 8











"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Except where the sample is drawn independently by NZWTA Ltd. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested sample. The above test results are not certified due to the adoption of modified and/or non-standard procedures designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. Except where precluded by law, no responsibility can be accepted by NZWTA Ltd for any claim which may arise from any person acting on information contained herein.

L A Greer Signatory

Signatory

17/10/2016

New Zealand Wool Testing Authority Ltd

Cnr Bridge & Lever Streets, PO Box 12065 Ahuriri, Napier 4144, New Zealand

T+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz